



# Standard Sign Fixings

An economical method of adding style and elegance to displays

Product Brochure



## Create cost-effective, aesthetically pleasing displays



Manufactured from aluminium, Standard sign fixings provide a simple way to present display panels.

The standard fixings range includes a variety of wall mounted panel supports which disguise mechanical fixings to create clean display installations.

Easy to install, fixings are supplied in two parts which slot together and secure panels between them. A 9mm hole is required to install display panels, with fixings tightened through the panels for additional support and durability. Although each fixing in the range requires a 9mm hole, the diameter of panel supports can vary depending on the desired effect. Fixings with a diameter of 13mm would typically be used for smaller panel installations whereas 25mm diameter panel supports are available to provide a more robust option for larger panels.



Accommodating panels up 15mm thick, standard sign fixings are suitable to display a range of materials such as acrylic, glass and wood to make attractive point of sale displays and interior wayfinding.

Created with either a polished or satin finish, panels are fixed stood-off from the wall to add style and elegance to the presentation of displays. Stand-off options include 19mm, 25mm and 30mm depending on project requirements.

### Key features

- Cost-effective fixing method
- Accommodates materials up to 15mm thick
- Stand-off options range from 19mm to 30mm
- Choose from polished and satin finishes
- Ranging in diameter from 13mm to 25mm

## Polished finish



### ASC 6 Polished

- 13mm diameter panel support
- With a 19mm stand off
- For up to a 10mm panel



### ASC 1 Polished

- 19mm diameter panel support
- With a 19mm stand off
- For up to a 10mm panel



### ASC 5 Polished

- 19mm diameter panel support
- With a 25mm stand off
- For up to a 15mm panel



### ASC 2 Polished (only)

- 25mm diameter panel support
- With a 30mm stand off
- For up to a 15mm panel

## Satin finish



### ASC 6 Satin

- 13mm diameter panel support
- With a 19mm stand off
- For up to a 10mm panel



### ASC 1 Satin

- 19mm diameter panel support
- With a 19mm stand off
- For up to a 10mm panel



### ASC 5 Satin

- 19mm diameter panel support
- With a 25mm stand off
- For up to a 15mm panel